

## Sales Specification

1 of 1

### Butoxyl®

(3-Methoxybutyl Acetate)

CAS-No. 4435-53-4

<u>Characteristic</u>		<u>Limit</u>	<u>Unit</u>	<u>Method</u>
3-Methoxybutyl Acetate	min.	99.5	% (w/w)	DIN 51 405 (GC)
3-Methoxybutanol	max.	0.1	% (w/w)	DIN 51 405 (GC)
Water	max.	300	mg/kg	DIN 51 777 / ASTM D 1364 (mod. Karl-Fischer Method)
Acid Value	max.	0.05	mg KOH/g	DIN EN ISO 2114 / ASTM D 1613
Platinum/Cobalt Color (Hazen/APHA Color)	max.	5		DIN EN 1557 / DIN ISO 6271 / ASTM D 1209 / ASTM 5386
Residue on Evaporation	max.	2.0	mg/100ml	DIN 53 172
Density at 20 °C		0.954 – 0.956	g/cm <sup>3</sup>	DIN 51 757 Method D
Appearance		Clear and free		Visual Examination

Product-No. 50000872      Version-No. 6  
Released November 15, 2016

Additional product numbers in use for other packaging. Please contact your Sales Support.

Test methods used are available upon request. Contact your Sales Support for copies.  
For additional physical properties, see Celanese Product Description and Handling Guide.

**Celanese Corporation**  
225 E. John Carpenter Fwy., Suite 1200  
Irving, Texas 75062, USA  
Phone: 972-443-4016

**Celanese Sales Germany GmbH**  
Am Unisys-Park 1  
65843 Sulzbach, Deutschland / Germany  
Tel: +49 (0) 69 45009 0

*The information contained in this publication is based on our present state of knowledge and is intended to provide general notes on our products and their uses. It should not be construed as warranting or guaranteeing specific properties of the products described or their suitability for a particular application. User is solely responsible for determining the suitability of the products for the intended purpose. To the best of our knowledge the information in this publication is accurate; however we do not assume any liability whatsoever for the accuracy and completeness of such information. We strongly recommend that users seek and adhere to our current instructions for handling these products, and to entrust the handling of such products to adequately trained personnel only. Please adhere to the instructions and information contained in the corresponding Material Safety Data Sheets (MSDS) before attempting to process our products. Any existing industrial property rights must be observed. User is solely responsible for investigating and checking the regulatory approval status.*