

Acetic Anhydride

CAS-No. 108-24-7

Sales Specification

Specifications ⁽¹⁾		Limit	Unit
Acetic Anhydride ⁽²⁾	min.	99.50	wt. %
Acetic Acid	max.	0.50	wt. %
Aluminum	max.	1	ppm
Iron	max.	1	ppm
Heavy Metals, as Lead	max.	1	ppm
Chlorides	max.	1	ppm
Total Sulfur	max.	1	ppm
Nonvolatile Matter	max.	0.003	g/100 ml
Permanganate Time	min.	10	minutes
Color	max.	10	Pt-Co
Specific Gravity 20°C/20°C	-	1.080 – 1.0840	-
Appearance	-	CFSM ⁽³⁾	-

(1) Test methods available upon request.

(2) By difference – 100.00% minus impurities as determined by Gas Chromatography.

(3) Clear and Free from Suspended Matter.

Product Number: 50000437

Spec. AC2O-001-Global-Jun25

Supersedes: Global Spec AC2O-001, Nov 2016 / EAME Spec 50000437, Version 3, Nov 15, 2016.

Celanese Performance
 Solutions Switzerland Sàrl
 Route du Nant-d'Avril 146,
 1217 Meyrin,
 Switzerland
 T+41 22 717 69 00

Celanese Pte Ltd
 Celanese Singapore Pte Ltd
 70 Anson Road
 #21-01/02
 Hub Synergy Point
 Singapore 079905
 T+65-6513-0443

Celanese Sales U.S. Ltd.
 222 W. Las Colinas Blvd.
 Suite 900N
 Irving TX 75039 U.S.A.
 T +1-972-443-4000

Celanese (Shanghai)
 International Trading Co. Ltd.
 Room 411, No. 473
 Fute West 1st Road
 Waigaoqiao Free Trade Zone
 Shanghai, China
 T +86-21-38619288

The information contained in this publication is based on our present state of knowledge and is intended to provide general notes on our products and their uses. It should not be construed as warranting or guaranteeing specific properties of the products described or their suitability for a particular application. User is solely responsible for determining the suitability of the products for the intended purpose. To the best of our knowledge the information in this publication is accurate; however, we do not assume any liability whatsoever for the accuracy and completeness of such information. We strongly recommend that users seek and adhere to our current instructions for handling these products, and to entrust the handling of such products to adequately trained personnel only. Please adhere to the instructions and information contained in the corresponding Safety Data Sheets (SDS) before attempting to process our products. Any existing industrial property rights must be observed. User is solely responsible for investigating and checking the regulatory approval status.