

Product name	CoolPoly® D3612 NAT***	EUIS/EN	
MSDS number	870023	Revision Date	Oct.09.2015
Revision Number	0.01***	Issuing date	Oct.09.2015***

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name

CoolPoly® D3612 NAT***

The following SDS applies to products described by combinations of the following trade name, product grade and color code listed below.***

REACH Registration Number

This product is a mixture and therefore not directly subject of the registration requirements under REACH.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Plastic processing industry.***

1.3. Details of the supplier of the safety data sheet

Celanese Production Germany GmbH & Co. KG

Am Unisys-Park 1
65843 Sulzbach (Taunus)
Germany***

Celanese Sales Germany GmbH

Am Unisys-Park 1
65843 Sulzbach (Taunus)
Germany***

SDS Contact (email of responsible person)

HazCom@celanese.com***

1.4. Emergency telephone number

CHEMTREC: +1 703 527 3887 (Collect calls accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation 1272/2008/EC (CLP)

Not a hazardous substance or preparation according to Regulation 1272/2008 (CLP)***

2.2. Label elements

Not required***

2.3 Other Hazards

The mixture does not meet the criteria for PBT / vPvB according to REACH, Annex XIII***

Safety data sheet
according to regulation (EC) Nr. 1907/2006



Product name	CoolPoly® D3612 NAT***	Revision Date	EUIS/EN Oct.09.2015
MSDS number	870023	Issuing date	Oct.09.2015***
Revision Number	0.01***		

SECTION 3: Composition/information on ingredients

Chemical characterization Nylon 6,6 or Poly[Imino(1,6-Dioxo-1,6-Hexanediyl)Imino-1,6-Hexanediyl]; Polyhexamethylene Adipamide; CAS-RN: 32131-17-2 with flame retardant***

3.1. Substances not applicable***

3.2. Mixtures Details provided in the tables below***

Components	CAS-No	EC-No.	Identification Number	Percent %
Boron oxide	1303-86-2	215-125-8	005-008-00-8	< 0.2
Polycaprolactam (PA6)	25038-54-4	none	xxx***	40 - 50
Zinc borate; Boron zinc oxide (B6Zn2O11); Boric acid (H4B6O11), zinc salt (1:2); Hexaboron dizinc undecaoxide; zinc, boron, oxygen(-2) anion	12767-90-7	235-804-2	xxx	< 1.0

Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures, Annex VI, Table 3.1

Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures, Annex VI, Table 3.1***

Components	1272/2008/EC (CLP)	Hazard Statements
Boron oxide	Reproductive toxicity - Category 1B	H360
Polycaprolactam (PA6)	Not a dangerous substance according to GHS	--
Zinc borate; Boron zinc oxide (B6Zn2O11); Boric acid (H4B6O11), zinc salt (1:2); Hexaboron dizinc undecaoxide; zinc, boron, oxygen(-2) anion	Acute aquatic toxicity - Category 1 Chronic aquatic toxicity - Category 2 Serious eye damage / eye irritation - Category 2 Reproductive toxicity - Category 2	H319 H400 H411 H361d

Substance of very high concern (SVHC)

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)***

Remarks For the full text of the H-statements mentioned in this Section, see Section 16***

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move to fresh air in case of accidental inhalation of vapors. Get medical attention immediately if symptoms occur***
Skin	Cool skin rapidly with cold water after contact with molten polymer. Do not peel solidified product off the skin. Immediate medical attention is required***
Eyes	Call a physician if irritation persists. Immediately flush eye(s) with plenty of water***

Safety data sheet according to regulation (EC) Nr. 1907/2006



Product name	CoolPoly® D3612 NAT***		EUIS/EN
MSDS number	870023	Revision Date	Oct.09.2015
Revision Number	0.01***	Issuing date	Oct.09.2015***

Ingestion If swallowed, do not induce vomiting - seek medical advice***

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms None known

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, Dry powder, Water***

5.2. Special hazards arising from the substance or mixture

Carbon monoxide

Carbon dioxide (CO₂)***

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit***

Other Information

Keep people away from and upwind of fire.***

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No special handling advice required***

6.2. Environmental precautions

No special environmental precautions required***

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment***

6.4. Reference to other sections

Consult trained personnel. Consider the information for "Personal Protection" in chapter 8 of this Safety Data Sheet***

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures

When using, do not eat, drink or smoke Wash hands before breaks and at the end of workday.***

Advice on safe handling

Provide adequate ventilation***

Protection - fire and explosion:

Potential dust explosion hazard. Keep away from sources of ignition - No smoking***

Safety data sheet according to regulation (EC) Nr. 1907/2006



Product name	CoolPoly® D3612 NAT***	EUIS/EN	
MSDS number	870023	Revision Date	Oct.09.2015
Revision Number	0.01***	Issuing date	Oct.09.2015***

7.2. Conditions for safe storage, including any incompatibilities

Material storage

Keep in a dry, cool and well-ventilated place***

Technical measures/Storage conditions

Keep in a cool, well-ventilated place***

German storage class

11: Combustible solids***

7.3. Specific end use(s)

None known

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure limits

DNELs

This product is a mixture and therefore not directly subject of the registration requirements under REACH.***

PNECs

This product is a mixture and therefore not directly subject of the registration requirements under REACH.***

8.2. Exposure controls

Engineering measures

General: May not be adequate as the sole means to control employee exposure.
Local Exhaust: Recommended when appropriate to control employee exposure to dust or process vapors***

Personal protective equipment

Hygiene measures

When using, do not eat, drink or smoke Wash hands before breaks and at the end of workday.***

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment***

Eye protection

safety glasses with side-shields***

Hand protection

protective gloves***

Suitable material Type

Butyl-rubber ***
Butoject*** (Company KCL) or comparable article;
or refer to glove manufacturer's recommendation***

Evaluation

Material thickness

according to EN 374: level 6*****

Break through time

approx. 0,3*** mm***

480 min***

Safety data sheet
according to regulation (EC) Nr. 1907/2006



Product name CoolPoly® D3612 NAT***
MSDS number 870023
Revision Number 0.01***

Revision Date Oct.09.2015
Issuing date Oct.09.2015***

EUIS/EN

Environmental exposure controls

Do not discharge into the drains/surface waters/groundwater***

Environmental Precautions

Should not be released into the environment***

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Form pellets***
Color grey***
Odor slight ***

Flash point Not applicable
Ignition temperature No data available***
Decomposition not determined***
Temperature
Lower explosion limit not applicable***
Upper explosion limit not applicable***
Flammability (solids) not applicable***
Melting point/range 200 - 250***°C not applicable***
Density Not Determined
Vapor pressure not determined***
Water solubility not determined***
Solubility in other solvents not determined***
Partition coefficient not determined***
(n-octanol/water)
Conductivity Not determined.***
VOC Content(%) None***
Explosive Properties not applicable***
Oxidizing Properties not applicable***
Surface Tension not determined***

9.2. Other information The product was not tested for properties not listed on the MSDS.***

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions***

10.2. Chemical Stability

Thermal decomposition can take place above 320***°C***

10.3. Possibility of hazardous reactions

None anticipated.

10.4. Conditions to avoid

Flame. Avoid temperatures above 400***°C***

10.5. Incompatible Materials

None known***

Safety data sheet according to regulation (EC) Nr. 1907/2006



Product name	CoolPoly® D3612 NAT***	EUIS/EN	
MSDS number	870023	Revision Date	Oct.09.2015
Revision Number	0.01***	Issuing date	Oct.09.2015***

10.6. Hazardous decomposition products

No hazardous decomposition products are known***

SECTION 11: Toxicological information

11.1. Information on toxicological effects

When handled appropriately, even after long years of experience with this product, no adverse health effects are known. Observe the usual hygienic measures for handling chemicals. Toxicological data are not available***

SECTION 12: Ecological information

Ecotoxicological data are not available. According to experience, the material has no harmful effect on the environment. Do not discharge product unmonitored into the environment***

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product information	Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal***
Uncleaned empty packaging	Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse***

SECTION 14: Transport information

ADR/RID Not regulated ***

ADN Not regulated ***

ICAO/IATA Not restricted***

IMDG Not regulated ***

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Class	nwg***
WGK Reg. No.	766***
WGK Source	Classification according to VwVwS, Annex 1 or 2***

15.2 Chemical Safety Assessment

Chemical Safety Assessment (CSA) is not required

Safety data sheet according to regulation (EC) Nr. 1907/2006



Product name	CoolPoly® D3612 NAT***		EUIS/EN
MSDS number	870023	Revision Date	Oct.09.2015
Revision Number	0.01***	Issuing date	Oct.09.2015***

Authorization - Reach Regulation, Title VII

This substance is not subject to authorization requirements***

SECTION 16: Other information

Hazard statements

H360 - May damage fertility or the unborn child
H319 - Causes serious eye irritation
H400 - Very toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects
H361d - Suspected of damaging the unborn child

Other Information:

- Observe national and local legal requirements
- Except as otherwise noted, all of the trademarks referenced herein are owned by Ticona or its affiliates. ***

Changes against the previous version are marked by *****

Training advice

When wearing a breathing apparatus, the need for appropriate training needs to be considered. Training advice***

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on Celanese owned data and public sources deemed valid or acceptable.***

Further information

This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements.***

Abbreviation and Acronym:

ADR = Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS = Chemical Abstracts Service (division of the American Chemical Society)
CLP = Classification, Labelling and Packaging
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IMO)
ICAO = International Civil Aviation Organization
IMDG = International Maritime Code for Dangerous Goods***

Annex: Exposure Scenario(s)

Development of Exposure Scenario is not required

Safety data sheet
according to regulation (EC) Nr. 1907/2006



Product name CoolPoly® D3612 NAT***
MSDS number 870023
Revision Number 0.01***

Revision Date EUIS/EN
Oct.09.2015
Issuing date Oct.09.2015***
