

# Glacial Acetic Acid for Industrial Use (China)

CAS-No. 64-19-7

## Sales Specification

Specifications <sup>(1)</sup>		Limit	Unit
Acetic Acid <sup>(2)</sup>	min.	99.85	wt. %
Freezing Point	min.	16.35	°C
Water	max.	0.15	wt. %
Color	max.	10.0	Pt-Co
Distillation Range	max.	1.0	°C
Formic Acid	max.	0.03	wt. %
Aldehydes as Acetaldehyde	max.	0.02	wt. %
Iron	max.	0.40	ppm
Heavy Metals, as Pb	max.	0.5	ppm
Chlorides	max.	1.0	ppm
Sulfates	max.	1	ppm
Sulfurous Acid	max.	1	ppm
Permanganate Time	min.	2	hours
Propionic Acid	max.	500	ppm
Evaporation Residue	max.	0.005	wt. %
Appearance	-	CFSM <sup>(3)</sup>	-

(1) Analytical methods are available upon request.

(2) Determined by Freezing Point.

(3) Clear and Free from Suspended Matter.

Product Numbers: 51009356

Spec. HAC-001-China-Jun25

Supersedes: Sep-2020

Celanese Performance  
 Solutions Switzerland Sàrl  
 Route du Nant-d'Avril 146,  
 1217 Meyrin,  
 Switzerland  
 T+41 22 717 69 00

Celanese Pte Ltd  
 Celanese Singapore Pte Ltd  
 70 Anson Road  
 #21-01/02  
 Hub Synergy Point  
 Singapore 079905  
 T+65-6513-0443

Celanese Sales U.S. Ltd.  
 222 W. Las Colinas Blvd.  
 Suite 900N  
 Irving TX 75039 U.S.A.  
 T +1-972-443-4000

Celanese (Shanghai)  
 International Trading Co. Ltd.  
 Room 411, No. 473  
 Fute West 1st Road  
 Waigaoqiao Free Trade Zone  
 Shanghai, China  
 T +86-21-38619288

The information contained in this publication is based on our present state of knowledge and is intended to provide general notes on our products and their uses. It should not be construed as warranting or guaranteeing specific properties of the products described or their suitability for a particular application. User is solely responsible for determining the suitability of the products for the intended purpose. To the best of our knowledge the information in this publication is accurate; however, we do not assume any liability whatsoever for the accuracy and completeness of such information. We strongly recommend that users seek and adhere to our current instructions for handling these products, and to entrust the handling of such products to adequately trained personnel only. Please adhere to the instructions and information contained in the corresponding Safety Data Sheets (SDS) before attempting to process our products. Any existing industrial property rights must be observed. User is solely responsible for investigating and checking the regulatory approval status.