

Vinyl Acetate

CAS-No. 108-05-4

Sales Specification

Specifications ⁽¹⁾		Limit	Unit
Vinyl Acetate	min.	99.9 ⁽²⁾	wt. %
Water	max.	0.04	wt. %
Aldehydes as Acetaldehyde	max.	0.010	wt. %
Acidity as Acetic Acid	max.	0.005	wt. %
Hydroquinone	-	3 – 5 ⁽³⁾	ppm
Color	max.	5	Pt-Co
Distillation Range (including 72.7 °C) ⁽⁴⁾	max.	0.5	°C
Specific Gravity 20 °C/20 °C	-	0.933 – 0.935	-
Appearance	-	CFSM ⁽⁵⁾	-

(1) Test methods available upon request.

(2) By Difference – 100.0 % minus (acid plus water plus impurities as determined by Gas Chromatography).

(3) Alternate inhibitor packages are available on request.

(4) Product conforms to limit, but tests are not routinely performed.

(5) Clear and Free from Suspended Matter.

Product Number: HQ 3-5 (50002030/51006754/50000999)

Additional Product numbers in use for other inhibitor packages. Please contact your Sales Support.

Spec. VAM-001-Global-Jun25¹

Supersedes: VAM-001 Mar 2017 and 50002030 version 5 Nov 15, 2016.

¹ New sales spec. nomenclature. Former designation: 50002030 Vinyl Acetate Global - English - Jan 2024 (Version-No. 1); no changes to the specifications of the product.

Celanese Performance
 Solutions Switzerland Sàrl
 Route du Nant-d'Avril 146,
 1217 Meyrin,
 Switzerland
 T+41 22 717 69 00

Celanese Pte Ltd
 Celanese Singapore Pte Ltd
 70 Anson Road
 #21-01/02
 Hub Synergy Point
 Singapore 079905
 T+65-6513-0443

Celanese Sales U.S. Ltd.
 222 W. Las Colinas Blvd.
 Suite 900N
 Irving TX 75039 U.S.A.
 T +1-972-443-4000

Celanese (Shanghai)
 International Trading Co. Ltd.
 Room 411, No. 473
 Fute West 1st Road
 Waigaoqiao Free Trade Zone
 Shanghai, China
 T +86-21-38619288

The information contained in this publication is based on our present state of knowledge and is intended to provide general notes on our products and their uses. It should not be construed as warranting or guaranteeing specific properties of the products described or their suitability for a particular application. User is solely responsible for determining the suitability of the products for the intended purpose. To the best of our knowledge the information in this publication is accurate; however, we do not assume any liability whatsoever for the accuracy and completeness of such information. We strongly recommend that users seek and adhere to our current instructions for handling these products, and to entrust the handling of such products to adequately trained personnel only. Please adhere to the instructions and information contained in the corresponding Safety Data Sheets (SDS) before attempting to process our products. Any existing industrial property rights must be observed. User is solely responsible for investigating and checking the regulatory approval status.